

## **Historic, Archive Document**

**Do not assume content reflects current scientific knowledge, policies, or practices.**



62, 14

# Wholesale Trade List

Lining Out Stock

SEASON 1929

Grower of

Evergreens, Flowering Shrubs, and  
Trees, Deciduous Trees  
and Vines



HOGANSVILLE NURSERIES

Hogansville, Georgia

JNO. WILKINSON, Proprietor



---

## CONTENTS

---

Lining Out Coniferous Evergreens  
Lining Out Broad-Leaved Evergreens.  
Lining Out Deciduous Shrubs and Trees.  
Lining Out Vines.

---

**TERMS OF SALE**—Cash with order, except to persons who satisfy us as to their responsibility. Remittances may be made by Bank Draft, Postal or Express Money Order or Certified Check.

**SUBSTITUTION**—The varieties you select are always sent unless you grant permission to substitute. If you wish a particular color, rather than a particular variety, many times it is to your advantage to mention the fact, as we may oftentimes improve upon your selection. Therefore, if a substitute is acceptable, be sure to advise us, as otherwise everything is shipped absolutely as ordered.

**ORDER EARLY**—Orders are filled in rotation. Ordering early will insure the reservation of varieties that later may be sold out, and save you any disappointment.

**PACKING**—All plants are carefully packed to prevent drying or freezing while in transit. All packing charges are included in catalog list.

**GUARANTEE**—We guarantee all nursery stock furnished by us to be first-class and true to name. We exercise the greatest of care to have all our trees and plants true to name, well grown, packed in the very best possible manner and hold ourselves in readiness on proper proof to replace all trees and plants that may accidentally prove untrue to label, free of charge or refund the amount paid.

**REFERENCES**—Commercial Agencies.  
Reputable Nurserymen in the South

---

# Coniferous, Evergreens

Lining Out Stock—Nursery Grown

Seedlings (S); Cuttings (C) Grafts (G); Buds (B)

<b>Cedrus Deodara (S)</b>	<b>Each</b>
2,000—8-12 in. ....	15c
1,000—10-12 in. ....	20c
<b>Cedar of Lebanon (S)</b>	
2,000—2-4 in. ....	5 c
1,000—4-6 in. ....	7½c
<b>Cryptomeria (C. Japonica) (S)</b>	
2,000—4-6 in. ....	5c
2,000—6-8 in. ....	7½c
1,000—8-10 in. ....	10c
<b>Cypress (Cupressus Arizonica) (S)</b>	
3,000—4-6 in. ....	2½c
2,000—6-8 in. ....	5c
1,000—8-10 in. ....	7½c
<b>Italian Cypress (Cupressus Sempervirens) (S)</b>	
3,000—4-6 in. ....	3½c
2,000—6-8 in. ....	5c
1,000—8-10 in. ....	7½c
<b>Columnar Italian Cypress (C. Pyramidalis) (S)</b>	
2,000—4-6 in. ....	5c
1,000—6-8 in. ....	7½c
<b>Lawson Cypress (C. Lawsoniana) (S)</b>	
3,000—4-6 in. ....	5c
2,000—6-8 in. ....	7½c
<b>Pfitzer Juniper (Juniperus Chinensis Pfitzeriana) (C)</b>	
2,000—4-6 in. ....	12c
1,000—6-8 in. ....	16c
500—8-10 in. ....	25c
<b>Savin Juniper (J. Sabina) (C)</b>	
1,000—4-6 in. ....	12c
1,000—6-8 in. ....	16c
<b>Retinospora (Chamaecyparis) (S)</b>	
<b>Plume Retinospora (C. Pisifera Plumosa)</b>	
8,000—4-6 in. ....	4c
4,000—6-8 in. ....	5c
2,000—8-10 in. ....	7½c
<b>Hinoki Cypress (C. Obtusa) (S)</b>	
6,000—4-6 in. ....	4c
4,000—6-8 in. ....	5c
2,000—8-10 in. ....	7½c

<b>Libocedrus Decurrens (California Incense Cedar) (S)</b>	
2,000—4-6 in. ....	5c
1,000—6-8 in. ....	10c
<b>Spruce (Picea) (S)</b>	
<b>Norway Spruce (P. Excelsa)</b>	
2,000—2-4 in. ....	2c
1,000—4-6 in. ....	3c
500—6-8 in. ....	5c
<b>Arborvitae (Thuja) (S)</b>	
<b>Thuja Orientalis</b>	
25,000—4-6 in. ....	3c
15,000—6-8 in. ....	5c
10,000—8-10 in. ....	7½c
5,000—10-14 in. ....	10c
<b>T. Orientalis Aurea Conspicua (S)</b>	
10,000—4-6 in. ....	7½c
5,000—6-8 in. ....	10c
2,000—8-10 in. ....	12c
<b>T. Orientalis Compacta (S)</b>	
7,000—2-4 in. ....	3c
4,000—4-6 in. ....	5c
2,000—6-8 in. ....	7c
<b>Tom Thumb Arborvitae (T. Occidentalis Ellwangeriana) (C)</b>	
1,000—6-8 in. ....	10c
<b>Berckman's Golden (T. Orientalis Aurea Nana) (C)</b>	
1,500—4-6 in. ....	12½c
500—6-8 in. ....	16c
<b>American Globe (T. Occidentalis Globosa) (C)</b>	
1,500—4-6 in. ....	10c
500—6-8 in. ....	15c
<b>Beverlyensis Arborvitae (T. Orientalis Meldensis) (C)</b>	
500—4-6 in. ....	10c
500—6-8 in. ....	15c
<b>Biota Rosedale (T. Orientalis Rosedale) (C)</b>	
1,500—6-8 in. ....	6c
1,500—8-10 in. ....	8c
<b>Bonita Arborvitae (T. Orientalis Bonita) (C)</b>	
500—6-8 in. ....	16c
<b>Nana Daly—Green (T. Nana Daly) (C)</b>	
500—4-6 in. ....	12c
500—6-8 in. ....	20c

# Broad Leaved Evergreens

## LINING OUT STOCK

### Abelia Grandiflora

2,000—8-10 in. ....	10c
3,000—10-12 in. ....	12c

### Aucuba

#### Gold dust Aucuba (Aucuba Japonica Variegata) (C)

500—6-8 in. ....	10c
500—8-10 in. ....	15c

### Boxwood (Buxus)

#### Common Box (B. Sempervirens) (C)

15,000—4-6 in. ....	5c
10,000—6-8 in. ....	7½c

#### Truedwarf Box (B. Sempervirens Suffruticosa) (C)

15,000—4-6 in. ....	7c
10,000—6-8 in. ....	10c

### Cape Jasmine (Gardenia Florida) (C)

2,000—6-8 in. ....	7c
1,000—8-10 in. ....	10c

### Euonymus

#### Evergreen Burningbush (E. Japonicus) (C)

1,000—6-8 in. ....	7c
500—8-10 in. ....	10c

### Magnolia Grandiflora (S)

2,000—4-6 in. ....	5c
1,000—6-8 in. ....	7½c

### Cherry Laurel (Laurocerasus Caroliniana) (S)

3,000—6-8 in. ....	
2,000—8-12 in. ....	
1,000—12-15 in. ....	7c

### English Cherry Laurel (L. Officinalis) (C)

500—6-8 in. ....	15c
500—8-12 in. ....	20c

### Nandina (Nandina Domestica) (S)

7,000—2-4 in. ....	5c
5,000—4-6 in. ....	8c
2,000—6-8 in. ....	12c

### Osmanthus (Tea Olive)

#### Sweet Tea Olive (O. Fragrans) (C)

300—4-6 in. ....	25c
200—6-8 in. ....	30c

### Photinia

#### Low Photinia (P. Serrulata)

3,000—2-4 in. ....	5c
2,000—4-6 in. ....	8c
1,000—6-8 in. ....	12c

**Pittosporum Tobira (P. Tobira) (C)**

500—6-8 in. .... 10c

**Privets (Ligustrum Japonicum) (S)**

4,000—4-6 in. .... 1½c

3,000—6-8 in. .... 3c

2,000—8-12 in. .... 4c

**Nepal Privet (L. Nepalense) (S)**

5,000—4-6 in. .... 5c

3,000—6-8 in. .... 7½c

2,000—8-12 in. .... 10c

**Chinese Privet (L. Amurensis) (S)**

7,000—6-8 in. .... 2c

5,000—8-12 in. .... 3c

3,000—12-16 in. .... 5c

**Glossy Privet (L. Lucidum) (C)**

2,000—6-8 in. .... 8c

3,000—8-10 in. .... 10c

**Gold Leaf Privet (L. Marginatum Aureum) (C)**

1,000—6-10 in. .... 15c

1,000—10-15 in. .... 20c

1,000—15-18 in. .... 25c

**Golden Privet Variegated (C)**

2,000—4-6 in. .... 7½c

1,000—6-8 in. .... 10c

1,000—8-10 in. .... 12½c

**Pyracantha**

**Laland Firethorn (P. Coccinea Lalandi) (C)**

1,000—6-8 in. .... 10c

1,000—8-12 in. .... 12c

**Yunnanensis Firethorn (P. Crenulata Yunnanensis) (C)**

1,000—6-8 in. .... 10c

1,000—8-12 in. .... 12c

**Tea Plant (Thea)**

**Bohea Tea Plant (T. Sinensis Bohea) (S)**

500—6-8 in. .... 5c

500—8-10 in. .... 7½c

**Deciduous Shrubs and Trees**

**LINING OUT STOCK**

**Althea (Hibiscus) (C)**

**Shrub-Althea (H. Syriacus) Double Pink**

1,000—6-8 in. .... 3c

1,000—8-10 in. .... 5c

**Shrub-Althea Double White**

1,000—6-8 in. .... 3c

1,000—8-10 in. .... 5c



<b>Shrub-Althea Double Purple</b>		
1,000—6-8 in. ....	3c	
1,000—8-10 in. ....	5c	
<b>Shrub-Althea Single White</b>		
1,000—6-8 in. ....	3c	
1,000—8-10 in. ....	5c	
<b>Shrub-Althea Double Red</b>		
1,000—6-8 in. ....	3c	
1,000—8-10 in. ....	5c	
<b>Barberry (Berberis) (S)</b>		
<b>Purple Barberry (B. Vulgaris Atro Purpurea)</b>		
1,000—4-6 in. ....	10c	
1,000—6-8 in. ....	12c	
<b>Japanese Barberry (B. Thunbergi)</b>		
2,000—6-8 in. ....	1c	
1,000—8-10 in. ....	2c	
<b>Beautyberry (Callicarpa) (S)</b>		
<b>American Beautyberry (C. Americana)</b>		
300—6-8 in. ....	2c	
200—8-10 in. ....	3c	
<b>Broom (Cytisus) (S)</b>		
<b>Scotch Broom (C. Scoparius)</b>		
1,000—6-8 in. ....	2c	
2,000—8-10 in. ....	3c	
<b>Bushclover (Lespedeza) (S)</b>		
<b>Shrub-Bushclover (L. Bicolor)</b>		
2,000—6-8 in. ....	2c	
1,000—8-10 in. ....	3c	
1,000—10-12 in. ....	5c	
<b>Chaste-Tree (Vitex) (S)</b>		
<b>Lilac Chaste-Tree (Vitex Agnus-Castus)</b>		
1,000—6-8 in. ....	3c	
1,000—8-10 in. ....	5c	
<b>Crapemyrtle (Lagerstroemia) (C)</b>		
<b>Crapemyrtle (L. Indica) Red</b>		
3,000—8-10 in. ....	10c	
2,000—10-12 in. ....	15c	
<b>Crapemyrtle Pink</b>		
5,000—8-10 in. ....	10c	
4,000—10-12 in. ....	15c	
3,000—12-15 in. ....	17c	
<b>Deutzia (C)</b>		
<b>Double White Deutzia (D. Crenata Flora Plena Alba)</b>		
2,000—10-12 in. ....	7c	
3,000—12-15 in. ....	10c	

<b>Slender Deutzia (D. Gracilis)</b>	
1,000—4-6 in. ....	7c
1,000—6-8 in. ....	10c
<b>Pride of Rochester (D. Scabra)</b>	
2,000—8-10 in. ....	7c
2,000—10-15 in. ....	10c
<b>Flowering Quince (Cydonia Japonica) (S)</b>	
2,000—6-8 in. ....	5c
1,000—8-12 in. ....	7½c
<b>Forsythia (GoldenBell) (C)</b>	
<b>Fortune Forsythia (F. suspensa fortunei)</b>	
2,000—8-12 in. ....	2c
1,000—12-15 in. ....	2½c
<b>Greenstem Forsythia (F. Viridissima)</b>	
2,000—8-12 in. ....	2c
2,000—12-15 in. ....	2½c
<b>St. Johnswort (Hypericum) (C)</b>	
<b>Goldflower (H. Moserianum)</b>	
1,000—6-8 in. ....	7½c
500—8-10 in. ....	10c
<b>Japanese Hypericum (H. Patulum)</b>	
1,000—4-6 in. ....	3c
1,000—6-8 in. ....	5c
500—8-10 in. ....	7c
<b>Jasmine (Jasminum) (C)</b>	
<b>Italian Jasmine (J. Humile)</b>	
1,000—6-8 in. ....	5c
500—8-10 in. ....	7c
<b>Jetbead (Rhodotypos) (S)</b>	
<b>Jetbead (R. Kerriodes)</b>	
1,000—6-8 in. ....	3c
1,000—8-12 in. ....	5c
<b>Pearlbush (Exochorda) (S)</b>	
<b>Pearlbush (E. Grandiflora)</b>	
1,000—8-10 in. ....	3c
1,000—12-15 in. ....	5c
<b>Pussy Willow (Salix Caprea) (S)</b>	
500—8-10 in. ....	2c
500—12-14 in. ....	3c
<b>Spirea (Spiriaea) (C)</b>	
<b>Anthony Waterer Spirea</b>	
1,000—4-6 in. ....	6c
1,000—6-8 in. ....	8c
<b>Reeves Spirea (S. Reevesiana)</b>	
3,000—8-10 in. ....	5c
4,000—10-15 in. ....	7c

<b>Van Houtie Spirea(S. Vanhouttei)</b>	
5,000—8-10 in.....	2c
5,000—10-12 in.....	3c
3,000—12-15 in.....	5c
<b>Weigelia (C)</b>	
<b>Pink Weigelia (Weigelia Rosea)</b>	
2,000—8-10 in. ....	3c
2,000—10-15 in.....	5c
<b>Snow Weigelia (Weigelia Candida)</b>	
1,000—8-10 in. ....	3c
1,000—10-15 in.....	5c
<b>Eva Rathke</b>	
1,000—8-10 in. ....	5c
1,000—10-15 in.....	7c
<b>Chinaberry (Melia) (B)</b>	
<b>Texas Umbrella Tree (Melia a. umbraculiformis)</b>	
1,000—8-10 in. ....	2c
1,000—12-15 in.....	3c
<b>Dogwood (Cornus) (C)</b>	
<b>White Dogwood (C. Florida)</b>	
1,000—6-8 in. ....	2c
500—10-12 in.....	3c
<b>Pink Dogwood (C. Florida Rubra) (B)</b>	
500—2-4 in. ....	25c
500—4-6 in. ....	30c
500—6-8 in. ....	40c
<b>Elm (Ulmus) (S)</b>	
<b>American Elm (U. Americana)</b>	
2,000—8-10 in. ....	2c
1,000—12-15 in.....	3c
<b>Chinese Elm (U. Pumila)</b>	
2,000—8-10 in. ....	2c
1,000—12-15 in.....	3c
<b>Hackberry (Celtis) (G)</b>	
<b>Sugarberry (C. Mississippiensis)</b>	
4,000—8-10 in. ....	2c
3,000—10-12 in.....	3c
2,000—12-15 in.....	4c
<b>Maple (Acer) (C)</b>	
<b>Silver Maple (A. Dasycarpum)</b>	
1,000—6-8 in. ....	2c
1,000—10-12 in.....	3c
<b>Bloodleaf Japanese Maple (A. palmatum</b>	
<b>atropurpureum) (G)</b>	
500—6-8 in. ....	40c

**Thunberg Spirea (S. Thunbergi)**

1,000—4-6 in. .... 6c

1,000—6-8 in. .... 8c

**Oak (Quercus) (S)****Pin Oak (Q. Palustris)**

2,000—4-6 in. .... 2c

**Pin Oak (Q. Palustris)**

2,000—8-10 in. .... 3c

**Scarlet Oak (Q. Coccinea)**

1,000—4-6 in. .... 2c

1,000—8-10 in. .... 3c

**Water Oak (Q. Nigra)**

3,000—6-8 in. .... 1½c

2,000—8-10 in. .... 2c

**Willow Oak (Q. Phellos)**

2,000—6-8 in. .... 1½c

1,000—8-10 in. .... 2c

**Acuta Oak**

1,000—8-12 in. .... 3c

**Willow (Salix) (C)****Weeping Willow (S. Babylonica)**

2,000—8-10 in. .... 2c

1,000—12-15 in. .... 3c

**Vines****Wintercreeper (Euonymus Radicans) (C)**

1,000—6-8 in. .... 6c

1,000—8-12 in. .... 8c

**Variegated Wintercreeper (E. Radicans Variegata)**

1,000—6-8 in. .... 6c

500—8-10 in. .... 8c

**Ivy (Hedera) (C)****English Ivy (H. Helix)**

1,000—8-10 in. .... 5c

1,000—10-12 in. .... 8c

**Clematis (S)****C. Paniculata**

2,000—4-6 in. .... 3c

2,000—6-8 in. .... 5c

**Bignonia Radicans (C)**

1,000—8-10 in. .... 6c

1,000—10-12 in. .... 8c

**Jessamine (Gelsemium) (S)****Jasminum Primulinum (Primrose Jasmine)**

1,000—6-8 in. .... 5c

500—8-10 in. .... 8c

**Boston Ivy (S)**

2,500—6-8 in. .... 1c

2,500—8-12 in. .... 2c



